



ALL DIMENSIONS ON THIS PAGE HAVE TOLERANCES OF +/- 5 MIL,
WITH THE EXCEPTION OF THE DIMENSIONS SHOWN ON THE
'SLA-3000-ENC_CRITICAL DIMENSIONS' DRAWING

ALL DIMENSIONS ARE IN INCHES
SEE ICD-SLA-3000-OEM.PDF FOR MORE INFO
DWG REV: B




ALL DIMENSIONS ON THIS PAGE HAVE TOLERANCES OF +/- 5 MIL,
WITH THE EXCEPTION OF THE DIMENSIONS SHOWN ON THE
'SLA-3000-ENC_CRITICAL DIMENSIONS' DRAWING

ALL DIMENSIONS ARE IN INCHES
SEE ICD-SLA-3000-OEM.PDF FOR MORE INFO
DWG REV: B




NUMBERS REPRESENT HEIGHTS FROM BASE OF HEATSINK
ALL DIMENSIONS ON THIS PAGE HAVE TOLERANCES OF +/- 2 MIL

ALL DIMENSIONS ARE IN INCHES
SEE ICD-SLA-3000-OEM.PDF FOR MORE INFO
DWG REV: B




ALL DIMENSIONS ON THIS PAGE HAVE TOLERANCES OF +/- 2 MIL

ALL DIMENSIONS ARE IN INCHES
SEE ICD-SLA-3000-OEM.PDF FOR MORE INFO
DWG REV: B



ALL DIMENSIONS ARE IN INCHES
SEE ICD-SLA-3000-OEM.PDF FOR MORE INFO
VALID FOR SLA-3000-ENC REV C

Extrusion Modification Detail



M3 Tapped Holes

*All dimensions are in inches