



SightLine

APPLICATIONS

EAN-Firmware Upgrade Utility

PN: EAN-Firmware-Upgrade-Utility

2/18/2019

**Contact:**

Web: sightlineapplications.com

Sales: sales@sightlineapplications.com

Support: support@sightlineapplications.com

Phone: +1 (541) 716-5137

Export Controls

Exports of SightLine products are governed by the US Department of Commerce, Export Administration Regulations (EAR); classification is ECCN 4A994. The [export summary sheet](#) located on the support/documentation page of our website outlines customers responsibilities and applicable rules. SightLine Applications takes export controls seriously and works to stay compliant with all export rules.

Copyright and Use Agreement


© Copyright 2018, SightLine Applications, Inc. All Rights reserved. The SightLine Applications name and logo and all related product and service names, design marks and slogans are the trademarks, and service marks of SightLine Applications, Inc.


Before loading, downloading, installing, upgrading or using any Licensed Product of SightLine Applications, Inc., users must read and agree to the license terms and conditions outlined in the [End User License Agreement](#).


All data, specifications, and information contained in this publication are based on information that we believe is reliable at the time of printing. SightLine Applications, Inc. reserves the right to make changes without prior notice.

Alerts

The following notifications are used throughout the document to help identify important safety and setup information to the user:

 **CAUTION:** Alerts to a potential hazard that may result in personal injury, or an unsafe practice that causes damage to the equipment if not avoided.

 **IMPORTANT:** Identifies crucial information that is important to setup and configuration procedures.

 *Used to emphasize points or reminds the user of something. Supplementary information that aids in the use or understanding of the equipment or subject that is not critical to system use.*



Contents

1	Overview	1
1.1	MicroSD Card Recovery.....	1
1.2	Associated Documents.....	1
1.3	SightLine Software Requirements.....	2
2	Upgrade Utility Download and Installation	2
3	Using the Upgrade Utility.....	2
4	Updating the Firmware.....	3
5	Updating the License File.....	4
5.1	Retrieving a License File	4
5.2	Upload a New License File.....	4
5.3	License File Details	5
6	Managing the Parameter File	5
6.1	Retrieving a Parameter File.....	6
6.2	Upload a Parameter File.....	6
6.3	Removing a Parameter File	6
7	Logo, Splash Screen and Program Files	7
7.1	Uploading a File.....	7
7.2	Retrieving a File	7
7.3	Removing a File	7
8	Advanced Menu.....	8
9	Command Line File Management.....	9
9.1	Command Options	9
9.2	Command Line File Management Notes.....	10
9.3	Command Examples.....	10
9.4	Upgrade Utility and Command Line Utility	11
9.5	Installing and Running Linux	11
9.6	Troubleshooting	12
10	Questions and Additional Support.....	12
	Appendix A - Updating Firmware with MicroSD Card	13
A1	MicroSD Card Types	13



EAN-Firmware-Upgrade-Utility

A2 Software Needed..... 13

A3 Update Procedure 13

Appendix B - Manually Deleting Files 16

B1 Using Command Line Programs 16

B2 Using SightLine Upgrade Utility and FTP Client 17

List of Figures

Figure 1: SLAUpgrade Utility 2

Figure 2: About the Connected Board 5

Figure 3: PC Host and Target System Network..... 9

List of Tables

Table 1: Logo, Splash Screen and Program Files..... 7

Table 2: Upgrade Utility and Command Line Utility User Interface Differences..... 11

Appendix Figures

Figure A1: 1500 and 3000 Board MicroSD Card Slots..... 15

Figure B1: Manually Deleting Files with Term Term..... 16

Appendix Tables

Table A1: Incompatible MicroSD Cards 13



1 Overview

This document outlines the steps for managing the system files using the SightLine upgrade utility application *SLAUpgrade<OEM board><firmware version>*. Command line versions of the SightLine upgrade utilities can also be used that can be managed from a customer GUI implementation (see the [Command Line File Management](#) section).

- **Firmware:** The video processing software and support items that are loaded on the OEM video processor.
- **Parameter File:** A file on the video processor which contains all the unit's non-volatile settings.
- **License File:** A file on the video processor (linked to the HW serial number for the device) that contains the enable application bits for that unit (functions that are enabled).
- **Program Files:** Used for getting and placing custom Lua scripts and DLLs.
- **Splash Screen:** If the splash JPEG file is present on the unit it will be displayed at startup. It will continue to display until a SightLine command is received by the unit. Connecting to the unit with Panel Plus sends the **Get Version Number (0x00)** message and will disable the splash screen. If the default camera is not connected, a *No Video Source Available* message will be displayed instead of the splash screen.
- **User Logo:** SightLine supports placement of a customer logo watermark file on the video for branding purposes. The file is kept in the unit's memory.

1.1 MicroSD Card Recovery

This document contains steps updating the firmware from a microSD card. This process is useful for recovering a board that is either not working as designed or is not communicating. See the [Appendix](#) for more information.

1.2 Associated Documents

[EAN-Startup Guide 1500-OEM](#): Describes steps for connecting, configuring, and testing the 1500-OEM video processing board on the 1500-AB accessory board.

[EAN-Startup Guide 3000-OEM](#): Describes steps for connecting, configuring, and testing the 3000-OEM video processing board on the 3000-IO interface board.

[EAN-Parameter File](#): Outlines the differences between dynamic and non-dynamic parameter file settings and how to correctly save them to the board.

[EAN-Script Development](#): Describes everything needed to develop and run custom scripts in Lua on the 1500-OEM and 3000-OEM hardware.

[EAN-Overlay-Graphics](#): Describes how to use overlay tools to modify, enhance, and create overlay graphics in Panel Plus.

[Interface Command and Control \(IDD\)](#): Describes the native communications protocol used by the SightLine Applications product line. The IDD is also available as a local download on the [Software Download](#) page.



Panel Plus User Guide: A complete overview of settings and dialog windows in Panel Plus. Located in The Help menu of the Panel Plus application.

1.3 SightLine Software Requirements

IMPORTANT: The Panel Plus software version should match the firmware version running on the board.

2 Upgrade Utility Download and Installation

1. Go to the SightLine software [download page](#) and select a version of firmware. Selecting the link will initiate the download process.
2. Open zip file and right click on the *.msi* file and select *Install*.
3. Accept all the defaults for installing the upgrade utility.

The installer (by default) installs Bin and Firmware folders under C:\Program Files (x86)\SightLine Applications\SLA-xxxx Upgrade Utility m.nn.rrr. The Bin folder contains the upgrade utility and library files needed for the utility. The Firmware folder contains all necessary files needed to upgrade the board.

4. Click *Close* when complete.

3 Using the Upgrade Utility

Use the following process to start the upgrade utility and connect to the video processing board.

IMPORTANT: If there are multiple versions of firmware are on the host PC, make sure to open the correct upgrade utility application that matches the firmware and board.

1. From the Windows Start menu, go to the SightLine application folder and click on the *SLAUpgrade<OEM board><firmware version>* utility tool to open it.




Figure 1: SLAUpgrade Utility

When the application starts for the first time, Windows may prompt a dialog regarding firewall access. Select Allow for the update to continue.

2. Click the *Find IP Addresses* button to get a list of boards on the network. Click on the appropriate board to select it.

Type	Name	IP Address	Version	SVN Revision	Date	Time
SLA1500	SLA1500 22015a	192.168.0.30	2.23.8.1	34850	2017/04/04	11:59:44

3. The upgrade utility application is now ready to use.




4 Updating the Firmware

i IMPORTANT:

- For version firmware level upgrades, i.e., 2. 22.x to 2. 23.x, it is important to remove the parameter file from the board (see step 3 below). Older versions of parameter files may not be compatible with newer versions of firmware.
- For sub-version updates, i.e. 2.23.05 to 2.23.09, it is typically not important to check the *Remove the Parameter File* check-box.
- Before removing the parameter file, record the current network, passthrough, and camera configuration settings, since these settings will be lost once the parameter file is removed from the board.

Recommended: Save a backup copy of the current license file and parameter file before upgrading the board (see [Retrieving the Parameter File](#) and [Retrieving a License File](#)).

1. Start the upgrade utility. Find the boards on the network and highlight the line of the board to select it.
2. Check the *Remove Parameter File* box if doing a version firmware level upgrade.
3. Click the *Upgrade* button.



4. Click Yes in the dialogue box to continue. The application interface will lock until the upgrade is complete (approximately 1 minute).
5. The Status window displays *Upgrade DONE* when the process is complete.
6. Click the *Find IP Addresses* button again to verify that the firmware version number on board is now the new version.



7. Restart the board.



5 Updating the License File


IMPORTANT: Before proceeding make sure that all SightLine software applications are closed.

This procedure describes how to retrieve a license file from the OEM board. This is useful when a license file needs new application bit and to unlock new features on the board. It is common that SightLine support will ask for customers to retrieve and send a license file from a unit.

Recommended: Save a backup copy of the current license file upon receipt of a board, and before upgrading the board. A saved license file can save time and expense if repair work is being done.

5.1 Retrieving a License File


1. Start the upgrade utility and select the board.
2. Select *File » License File » Get...*
3. The *Browse for Folder* window opens. Choose a directory to put the license file. The *Browse* window defaults to *C:\Users\<username>\AppData\Roaming\SightLineApplications*, but the file can be put in any PC or network directory with writing permissions.
4. Click *OK* in the *Browse for Folder* window. The *Status* window displays *Successfully Received License File* when complete.



5.2 Upload a New License File

After receiving a new license file from SightLine (normally attached to an email), save it to a known PC or network directory.

1. Start the upgrade utility and select the board.
2. Select *File » License File » Put...*
3. The *Browse for Folder* window opens. Navigate to the directory that the new license file is in.
4. Click *OK* to copy the new license file to the board. The *Status* window displays *Successfully Sent File* when complete.



5. Restart the board to activate the new license file.



5.3 License File Details

Each license file is generated for a specific board and must be loaded on that board. The upgrade utility will only upload or download a license file that matches the hardware ID of the board. Multiple license files can be placed in a folder. The upgrade utility will upload the one that matches the board's hardware ID.

The name of the license file includes the hardware ID. This is not the same as the board serial number, which can be found on the board and can be difficult to read. An example license file name is *3c943c9448eada74.license*. An example board serial number is *M39741-001-0033*.

To license or upgrade a board, download the license file from the board and send it to [Support](#). See [section 7](#) for instructions to download the license file.

To find the hardware ID, connect to the unit with Panel Plus and go to the main menu » *Help* » *About Board*. The dialog will show the hardware ID and related hardware and firmware information.

ⓘ IMPORTANT: Clicking *OK* will download the license file and parameter file to the host PC download directory (*C:\Users\Username\Downloads*).




Figure 2: About the Connected Board

If a license file not matching the hardware ID is uploaded to the board, this license file will be ignored. If a board is powered up without a license file, a new license file with App Bits 0x00000000 will be generated automatically.

6 Managing the Parameter File

The parameter file on each board contains system and configuration startup settings. See [EAN-Parameter File](#) for more information about parameter file settings and how to correctly save them to the board.

All systems have the following parameter file name: *param51ac4a9a.txt*. The upgrade utility can be used to remove, upload, or archive a parameter file from a system for unit recovery.

ⓘ IMPORTANT: The upgrade utility can also be used to propagate a known parameter file to multiple units allowing production teams to quickly duplicate settings across systems. Since all settings are contained in the parameter file, including network IP addresses, make sure the settings in the file will not cause a conflict in other systems when propagating files.



6.1 Retrieving a Parameter File

1. Start the upgrade utility and select the board.
2. Select *File » Parameter File » Get...*
3. The *Browse for Folder* window opens. Choose a directory to put the parameter file. The *Browse* window defaults to *C:\Users\\AppData\Roaming\SightLineApplications*, but the file can be put in any known PC or network directory.
4. Click *OK* in the *Browse for Folder* window. The Status window displays *Successfully Received Parameter File* when complete.

```
Status:
Beginning Search
Search Ended
Getting Parameter file C:\Users\AppData\Roaming\SightLineApplications
Successfully Received Parameter file.
```

6.2 Upload a Parameter File

1. Start the upgrade utility and select the board.
2. Select *File » Parameter File » Put...*
3. The *Browse for Folder* window opens. Navigate to the directory that the new parameter file is in.
4. Click *OK* to copy the new parameter file to the board. The Status window displays *Successfully Sent Parameter File* when complete.

```
Status:
Beginning Search
Search Ended
Sending Parameter file from C:\Users\AppData\Roaming\SightLineApplications
Successfully Sent Parameter file, restart board to take effect.
```

5. Restart the board to activate the parameter file.

6.3 Removing a Parameter File

1. Start the upgrade utility and select the board.
2. Select *File » Parameter File » Remove*.
3. Click *Yes* in the *dialog* window to remove the file. The utility removes the parameter file from the board and saves a copy in *C:\Users\\AppData\Roaming\SightLineApplications*.

```
Status:
Beginning Search
Search Ended
Beginning Search
Search Ended
Copied param file to C:\Users\Van\AppData\Roaming\SightLineApplications\192.168.0.21_param51ac9a4a.bt
Successfully renamed parameter file to *.bt_renamed, restart board to take effect.
```



7 Logo, Splash Screen and Program Files

The upgrade utility can also be used to manage Logo, Splash Screen and Program Files. File types and definitions are shown in [Table 1](#).

Table 1: Logo, Splash Screen and Program Files

File	File Type	Explanation
User Logo (watermark)	userLogo.png	Used for displaying a watermark image in the lower right-hand corner of displayed imagery.
Splash Screen	splash.jpg	Used for displaying a splash screen at startup.
Program Files	*.lua,* .so	Used for custom scripts or custom DLLs.

See the [EAN-Overlay-Graphics](#) document for more information on displaying and creating a custom logo and splash screen.

See [EAN-Script Development](#) for more information for working with LUA scripts and DLLs.

7.1 Uploading a File

1. Start the firmware upgrade utility and select the board.
2. Select *File » XXX » Put...* The *Browse for Folder* window opens.
3. Navigate to the directory that the new file is in. Click *OK* to copy the new file to the board. The *Status* window displays the result when complete.
4. Restart the board for the change to take effect.

7.2 Retrieving a File

1. Start the firmware upgrade utility and select the board.
2. Select *File » XXX » Get...* The *Browse for Folder* window opens.
3. Choose a directory to put the file.
4. Click *OK* to copy the file from the board. The *Status* window displays the result when complete.

7.3 Removing a File

1. Start the firmware upgrade utility and select the board.
2. Select *File » XXX » Remove*.
3. The *Status* window displays the result when complete.



8 Advanced Menu

Reset Board (Reboot): Restarts the board.


Set IP Address: *Temporarily* sets an IP address to the board. This is useful when troubleshooting a network issue, i.e., the board is on a different subnet. In that case, assign a temporary IP address to the board so that it can be connected from the Panel Plus application. The temporary address is not saved (unless it is saved to the parameter file from Panel Plus). The board will revert to the original address when the board is restarted.

Make Writeable (3000-OEM): This option allows users to use other utilities (WinSCP or FileZilla) to copy custom program files to the file system or library files of the 3000-OEM board.

CAUTION: This is an advanced option and could potentially lockup or damage the board. If you are unsure how to proceed, contact SightLine [Support](#) before proceeding.

The filesystem is read-only on the 3000-OEM. To copy files to the 3000-OEM with another utility, the filesystem must be made temporarily writeable.

1. Start the firmware upgrade utility and select the board.
2. Form the main menu, go to *File » Advanced* and select *Make Writeable*.



3. Click *Yes* in the *dialog* window to load the file.
4. Restart the board for the change to take effect.



9 Command Line File Management

This section describes how to use command line versions of the SightLine upgrade utilities from a Windows CMD window or WSL shell to manage system files.

There are two versions of the command line upgrade utility:

- **SLAUpgradeCmd.exe:** Runs in a Windows CMD shell. It is distributed in the bin directory of every firmware distribution.
- **SLAUpgradeCmd:** Runs in a shell on a 64-bit Linux system. Ubuntu 18.04 running under WSL is currently supported. See [Installing and Running Linux](#).

Both programs provide:

- the same functionality and have the same command line options.
- support paths using a forward slash (/) as a separator. The Windows CMD version also supports a backslash (\) as a path separator for paths on the PC host. Do not mix the forward slash (/) and backslash (\) within a single path.

Examples throughout the document will assume the Windows executable name.

It is assumed that the PC host and a target system (3000-OEM or 1500-OEM) are connected by a network (Figure 2).




Figure 3: PC Host and Target System Network

9.1 Command Options

To see the options, run with -?:

```
SLAUpgradeCmd.exe -IP <IPAddress>[-UP <Firmware Directory>][-DP][-GF
<localDirectory> <remoteName>][-SF <localName> <remoteName>][-GL
<localDirectory>][-SL <localDirectory>]
```

-IP <IPAddress>	(Required) Indicate the IP Address of the target (e.g., 192.168.1.75)
-UP <Firmware Directory>	Upgrade Firmware. Specify directory containing the upgrade files.
-DP	Delete parameter file during upgrade (recommended). Currently only works when -UP is used
-GF <localDirectory> <remoteName>	Get file <i>remoteName</i> and download it to <i>localDirectory</i>
-SF <localName> <remoteName>	Copy file <i>localName</i> and send it to destination file <i>remoteName</i> .
-GL <localDirectory>	Get License file from SLA board to <i>localDirectory</i> .
-SL <localDirectory>	Send License file from <i>localDirectory</i> to SLA board.



9.2 Command Line File Management Notes

The firmware upgrade will not be completed if the same revision of firmware is already loaded on the system.

```
\bin>SLAUpgradecmd.exe -IP 192.168.1.114 -UP ../firmware/  
Update not necessary, already at svnRevision 43635
```

The firmware upgrade utility does not provide status message if the firmware update procedure succeeds.

Wildcards are not supported with Get File (GF) option.

Directory names should end in a forward slash (/) or backslash (\):

- **Good:** C:/temp/mySLAdir/
- **Bad:** C:/temp/mySLAdir

Use ./ or .\ to indicate the directory local to the executable. In this example the command downloads the license file and places it in the same directory as *SLAUpgradeCmd*.

```
SLAUpgradeCmd.exe -IP 192.168.1.75 -GL ./
```

Use quotes around directory and file names when there are spaces in the name:

Good:

```
SLAUpgradeCmd.exe -IP 192.168.1.75 -UP "C:/Program Files (x86)/SightLine  
Applications/SLA-3000 Upgrade Utility 2.25.03/firmware/"
```

Bad:

```
SLAUpgradeCmd.exe -IP 192.168.1.75 -UP C:/Program Files (x86)/SightLine  
Applications/SLA-3000 Upgrade Utility 2.25.03/firmware/
```

9.3 Command Examples

Upgrade 3000-OEM from installed firmware:

```
SLAUpgradeCmd.exe -IP 192.168.1.75 -UP "C:/Program Files (x86)/SightLine  
Applications/SLA-3000 Upgrade Utility 2.25.03/firmware/"
```

```
SLAUpgradeCmd.exe -IP 192.168.1.75 -UP ../firmware/
```

Upgrade 1500-OEM firmware and remove parameter file during the upgrade:

```
SLAUpgradeCmd.exe -IP 192.168.1.71 -DP -UP "C:/Program Files  
(x86)/SightLine Applications/SLA-3000 Upgrade Utility 2.25.03/firmware/"
```

Get the parameter file (from board to PC):

```
SLAUpgradeCmd.exe -IP 192.168.1.75 -GF C:/temp/param51ac9a4a.txt  
./param51ac9a4a.txt
```

Set the parameter file (from PC to board):

```
SLAUpgradeCmd.exe -IP 192.168.1.75 -SF C:/temp/param51ac9a4a_3000.txt  
param51ac9a4a.txt
```



Get the license file (from board to PC):

The license file name depends on the board hardware ID. The upgrade utility determines the correct file name based on the hardware ID. The filename does not need to be specified, only the path.

```
SLAUpgradeCmd.exe -IP 192.168.1.75 -GL C:/temp/
```

```
SLAUpgradeCmd.exe -IP 192.168.1.75 -GL ./
```

Set the license file (from PC to board):

The license file name depends on the board hardware ID.

```
SLAUpgradeCmd.exe -IP 192.168.1.75 -SL C:/temp/
```

Copy a script file (from PC to the board):

```
SLAUpgradeCmd.exe -IP 192.168.1.75 -GF "C:/temp/tracksnap.lua" tracksnap.lua
```

Copy a watermark logo file from PC to the board:

```
SLAUpgradeCmd.exe -IP 192.168.1.75 -SF "C:/temp/userLogo.png" userLogo.png
```

9.4 Upgrade Utility and Command Line Utility

The following table shows the user interface differences between the Upgrade Utility and the Command Line Utility.

Table 2: Upgrade Utility and Command Line Utility User Interface Differences

Upgrade Utility UI	Command Line Utility	Upgrade Utility UI	Command Line Utility
License File Get & Put	Use -GL or -SL option	User Logo File Get & Put	Use -GF or -SF option
Parameter File Get & Put	Use -GF or -SF option	User Logo File Remove	Not yet implemented
Parameter File Remove	Not yet implemented as standalone operation. Can be deleted using the -DF option when upgrading (-UP).	Advanced » Reset Board	Not yet implemented
Program Files Get & Put	Use -GF or -SF option	Advanced » Set IP Address	Not yet implemented
Splash Screen File Get & Put	Use -GF or -SF option	Advanced » Make Writable	Not yet implemented
Splash Screen File Remove	Not yet implemented		

9.5 Installing and Running Linux

The program is developed using 64-bit Ubuntu 18.04, under WSL. 32-bit Linux is not supported. Running on native Ubuntu 16.04 has been tested, but the results have been poor with Ubuntu 16.04 running in VirtualBox. Ubuntu 16.04 under WSL has not been tested.

The program and firmware are distributed in a gzip TAR file. Use the following steps to install and run from the TAR file. This example assumes the target is a 1500-OEM, at address 192.168.1.211, and the firmware to be loaded is version 2.25.04.



1. Choose a directory to start. In a Linux terminal window create a temporary directory (tmpDir). Copy the tar file to it, and then cd to it. Type:

```
mkdir tmpDir
cp ~/Downloads/SLAUpgrade1500_2_25_04.tgz tmpDir
cd tmpDir
```

2. Unpack the contents of the .tgz file to a local directory tree. Type:

```
tar -zxvf SLAUpgrade1500_2_25_04.tgz
```

3. Use the change directory command and type:

```
cd "SightLine Applications/SLA-1500 Upgrade Utility 2.25.04"
```

The bin and firmware directories are now in your current directory.

4. Type:

```
bin/SLAUpgradeCmd -?
```

A usage message should display.

5. Type:

```
bin/SLAUpgradeCmd -IP 192.168.1.211 -UP ./firmware/
```

This will upgrade the target.

9.6 Troubleshooting

Problem	Recommendation
Program does not run.	Try running with -? argument. Linux version only runs on 64-bit hosts.
Upgrade fails.	Make sure target is up and running on specified IP address. Use Panel Plus to try to connect to unit. Make sure host and target are on same network. Use <i>ping</i> to query the unit.
Target will not run after failed upgrade.	Try power-cycling target. Follow instructions in Appendix A for updating firmware with MicroSD card.
Failed to upgrade <IP Address>.	Check network connection, cables, etc. Check network adapter is enabled (ifconfig).
Why FTP cannot be used to push files to the target.	The target file system is <u>Read Only</u> by default. When using the upgrade utility, the remote file system management is maintained.

10 Questions and Additional Support

For questions and additional support, please contact [Technical Support](#). Additional support documentation and Engineering Application Notes (EANs) can be found on the Support pages of the SightLine Applications [website](#).



Appendix A - Updating Firmware with MicroSD Card

This section covers how to update the 1500-OEM and 3000-OEM board firmware using a microSD card. This process is useful for recovering a board that is either not working as designed or is not communicating.

ⓘ IMPORTANT: A microSD card reader is needed for this procedure. If your PC does not have a built-in reader, use an external USB microSD card reader or similar.

A1 MicroSD Card Types

The microSD cards listed in [EAN-File-Recording](#) Appendix B have been verified to work with the 1500-OEM and 3000-OEM processors.

SightLine recommends Class 10 microSD cards. Class 10 cards are rated for a minimum sequential write speed of 10 MBps or greater.

ⓘ IMPORTANT: The microSD cards listed in [Table A1](#) should not be used as bootable media for performing firmware upgrades on the 1500-OEM. They should be used for recording and mass storage purposes only.

Table A1: Incompatible MicroSD Cards

Manufacturer	Model	Revision
SanDisk	SDC10G2/32GB	N0591-002.A00LF
SanDisk	SDC10G2/32GB	31629-001.A00LF
SanDisk	SDCS/32GB	N0686-008.A00LF


A2 Software Needed

[MiniTool Partition Wizard](#): Used for formatting the microSD card before updating the firmware.

[Tera Term](#) or [PuTTY](#): The status of the upgrade can be monitored using a terminal emulator program connected to serial 0 @ 115200/8-N-1.


A3 Update Procedure

1. Download and install the MiniTool Partition Wizard software.
2. Insert the microSD card into the card reader on the PC.
3. Open the MiniTool application. From the list of drives, highlight the microSD card by clicking on it.






4. From the *Partition Management* list, click *Delete Partition*.



5. From the *Partition Management* list, click *Create Partition*.




A specific partition size is required for the microSD recovery card. The partition size should be set to 1GB (or less). The file system type is required to be set to FAT, Primary, and Active on the recovery card.


6. In the Create New Partition window, enter/change the following fields:

- Optional - Partition Label: 1500_vx.xx.xx or 3000_vx.xx.xx (x = firmware number)
- Create As: Primary
- File System: FAT

7. Partition Size: 1000 MB. The MiniTool software may default to 999 MB. This is acceptable




8. Click *Ok*. Right-click on the microSD Card in the list and select *Set Active* from the dropdown list to make the card active. The *Status* column displays *Active*.





9. Click *Apply* from the top menu bar. The operations status screen shows the progress of creating and setting of the partition values.




10. When complete, a status message will be displayed. Click *OK* and close the application. This concludes the formatting process.

11. Choose the appropriate board firmware for the update. Files are located on the PC in the *Upgrade Utility* folder.

12. Go to *C:\Program Files (x86)\SightLine Applications\SLA-xxxx Upgrade Utility m.nn.rrr\firmware*.

13. Copy all the files in the *Firmware* folder to the root directory of the newly formatted microSD card.



14. Once the files have been copied to the microSD card, remove it from card reader.

15. Make sure the OEM board is powered off. Insert the microSD card in the microSD slot on the appropriate board as shown in **Figure A1**.





Figure A1: 1500 and 3000 Board MicroSD Card Slots



16. Power up the board to start the update. This process takes approximately three minutes.

 *If an analog monitor is connected to the 1500-OEM, a successful/completed message is displayed when the firmware upload is complete. If a monitor is not connected, wait for the onboard LED on the 1500-SOM to flash once every second. This indicates the firmware upload is complete. Since there is no indication when the update is complete for the 3000-OEM, wait at least 3 minutes.*

 *Parameters will be reset to factory default during the upgrade process.*


17. Remove the microSD card and power cycle the board for the new firmware to take effect.

Appendix B - Manually Deleting Files

B1 Using Command Line Programs


[Tera Term](#), [PuTTY](#) or a similar program can be used to establish an SSH session to the target and delete files. The IP address can be read by connecting to the board through Panel Plus.

1. Establish an SSH session to the target.
2. Login using the default username and password: `root`

 *The 3000-OEM does not require a password.*

3. The 1500-OEM file system has been created with read/write permissions. The 3000-OEM has a read only file system. To make it writable, type: `mount -w -o remount /`
4. To see all the files, type: `ls`
5. To remove a file, use:

```
rm drawCircle.lua
sync
```



```

192.168.1.144 - Tera Term VT
File Edit Setup Control Window Help
root@sl3000:~# mount -w -o remount /
root@sl3000:~# ls
0000001357188417.txt
0000001357194424.txt
0000001357194899.txt
0000001357199798.txt

root@sl3000:~# rm drawCircle.lua
root@sl3000:~# sync
root@sl3000:~#

```

Figure B1: Manually Deleting Files with Term Term

6. If connecting to the 3000-OEM, power cycle the target hardware or type `reboot` to restart the system. When the system reboots the file system will automatically return to read only mode.



B2 Using SightLine Upgrade Utility and FTP Client

1. Open a 1500 or 3000 Upgrade Utility application.
2. Click the *Find IP Addresses* button to see SLA hardware on the network.
3. Select the target hardware.


Type	Name	IP Address	Version	SVN Revision	Date	Time	HW Rev	Appbits
SLA3000	SLA3000C_3ca454	192.168.1.144	2.25.1.6	41743	2018/05/31	05:10:11	Rev.C	0x0000fff

4. The 1500-OEM file system has been created with read/write permissions. The 3000-OEM has a read only file system. To make it writable, got to the main menu » *File* » *Advanced* » *Make Writable*.
5. Open an FTP client such as FileZilla. Connect to the target hardware IP address using the default username and password: *root*


The 3000-OEM does not require a password.



6. If connecting to the 1500-OEM navigate to the */root* directory. If connecting to the 3000-OEM navigate to */home/root*.



7. Right-click on the file and select *Delete*.



If connecting to the 3000-OEM, power cycle the target hardware or type `reboot` to restart the system. When the system reboots the file system will automatically return to read only mode.